Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L2	2157	709/238,246.ccls. and @ad<="20010920"	US-PGPUB; USPAT	OR	ON	2005/05/16 09:37
L3	51	709/238,246.ccls. and MPLS and @ad<="20010920"	US-PGPUB; USPAT	OR	ON	2005/05/16 09:37
S1	12543626	EP "02" "25" "2570"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/11 09:11
S2	0	"EP02222570"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/11 09:11
S3	0.	"EP2222570"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/11 09:11
S4	1	"EP02252570"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/11 11:14
S5	0	"WO 01/61897"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/11 11:15
S6	0	"01/61897"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR .	OFF .	2005/05/11 11:15
<b>S7</b>	61	"61897"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	.2005/05/11 11:15

	r			r		
S8	0	"61897" and motorola	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR .	OFF	2005/05/11 11:15
S9	105	MPLS and motorola	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/11 11:16
S10	62	MPLS and motorola and @ad<="20010920"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/11 11:16
S11	1981	MPLS	US-PGPUB; USPAT	OR	OFF	2005/05/12 15:19
S12	423	"370"/\$.ccls. and MPLS and @ad<="20010920"	US-PGPUB; USPAT	OR	ON	2005/05/12 15:30
S13	267	"370"/471,473,474,352,353,354, 355,356,389,386,469,428,465, 466,392,409,395.3,390,399,395. 52,395.5,537,253,312,349.ccls. and MPLS and @ad<="20010920"	US-PGPUB; USPAT	OR	ON	2005/05/12 15:52
S14	267	"370"/471,473,474,352,353,354, 355,356,389,386,469,428,465, 466,392,409,395.3,390,399,395. 52,395.5,537,253,312,349.ccls. and MPLS and @ad<="20010920"	US-PGPUB; USPAT	OR	ON	2005/05/13 12:38
S15	606	"370"/471,473,474,352,353,354, 355,356,389,386,469,428,465, 466,392,409,395.3,390,399,395. 52,395.5,537,253,312,349.ccls. and MPLS	US-PGPUB; USPAT	OR	ON	2005/05/12 15:32
S16	571	"370"/471,473,474,352,353,354, 355,356,389,386,469,428,465, 466,392,409,395.3,390,399,395. 52,395.5,537,253,312,349.ccls. and multiplex\$3 with layer and @ad<="20010920"	US-PGPUB; USPAT	OR	ON	2005/05/12 15:32
S17	27	"370"/471,473,474,352,353,354, 355,356,389,386,469,428,465, 466,392,409,395.3,390,399,395. 52,395.5,537,253,312,349.ccls. and multiplex\$3 adj layer and @ad<="20010920"	US-PGPUB; USPAT	OR	ON	2005/05/12 15:45

				1		
S18	1	"370"/471,473,474,352,353,354, 355,356,389,386,469,428,465, 466,392,409,395.3,390,399,395. 52,395.5,537,253,312,349.ccls. and oversize\$1 with IP with packet and @ad<="20010920"	US-PGPUB; USPAT	OR	ON	2005/05/12 15:46
S19	1	"370"/471,473,474,389,465,466, 469.ccls. and oversize\$1 with IP with packet and @ad<="20010920"	US-PGPUB; USPAT	OR	ON	2005/05/12 15:46
S20	7	"370"/471,473,474,389,465,466, 469.ccls. and oversize\$1 with packet and @ad<="20010920"	US-PGPUB; USPAT	OR	ON	2005/05/12 15:46
S21	1	"370"/471,473,474,352,353,354, 355,356,389,386,469,428,465, 466,392,409,395.3,390,399,395. 52,395.5,537,253,312,349.ccls. and oversized with packet with zero and @ad<="20010920"	US-PGPUB; USPAT	OR	ON	2005/05/12 15:52
S22	2	"370"/471,473,474,352,353,354, 355,356,389,386,469,428,465, 466,392,409,395.3,390,399,395. 52,395.5,537,253,312,349.ccls. and oversized with zero and @ad<="20010920"	US-PGPUB; USPAT	OR	ON	2005/05/12 15:52
S23	2	"370"/471,473,474,352,353,354, 355,356,389,386,469,428,465, 466,392,409,395.3,390,399,395. 52,395.5,537,253,312,349.ccls. and oversize\$1 and MPLS and @ad<="20010920"	US-PGPUB; USPAT	OR	ON	2005/05/12 15:57
S24	0	"370"/471,473,474,352,353,354, 355,356,389,386,469,428,465, 466,392,409,395.3,390,399,395. 52,395.5,537,253,312,349.ccls. and oversize\$1 and all with zero and @ad<="20010920"	US-PGPUB; USPAT	OR	ON	2005/05/12 15:57
S25	0	"370"/471,473,474,352,353,354, 355,356,389,386,469,428,465, 466,392,409,395.3,390,399,395. 52,395.5,537,253,312,349.ccls. and (header or overhead) with all with zero and @ad<="20010920"	US-PGPUB; USPAT	OR	ON	2005/05/12 15:57
S26	0	"370"/471,473,474,352,353,354, 355,356,389,386,469,428,465, 466,392,409,395.3,390,399,395. 52,395.5,537,253,312,349.ccls. and (header or overhead) with all with zeros and @ad<="20010920"	US-PGPUB; USPAT	OR	ON	2005/05/12 15:57

S27	304	"370"/471,473,474,352,353,354, 355,356,389,386,469,428,465, 466,392,409,395.3,390,399,395. 52,395.5,537,253,312,349.ccls. and (header or overhead) with zeros and @ad<="20010920"	US-PGPUB; USPAT	OR	ON	2005/05/12 15:58
S28	1	"370"/471,473,474,352,353,354, 355,356,389,386,469,428,465, 466,392,409,395.3,390,399,395. 52,395.5,537,253,312,349.ccls. and oversize\$1 with (header or overhead) with zeros and @ad<="20010920"	US-PGPUB; USPAT	OR	ON	2005/05/12 15:58
S29	304	"370"/471,473,474,352,353,354, 355,356,389,386,469,428,465, 466,392,409,395.3,390,399,395. 52,395.5,537,253,312,349.ccls. and(header or overhead) with zeros and @ad<="20010920"	US-PGPUB; USPAT	OR	ON	2005/05/12 15:58
S30 _	106	"370"/471,473,474,352,353,354, 355,356,389,386,469,428,465, 466,392,409,395.3,390,399,395. 52,395.5,537,253,312,349.ccls. and packet with(header or overhead) with zeros and @ad<="20010920"	US-PGPUB; USPAT	OR .	ON	2005/05/12 15:58
S31	106	"370"/471,473,474,352,353,354, 355,356,389,386,469,428,465, 466,392,409,395.3,390,399,395. 52,395.5,537,253,312,349.ccls. and packet with (header or overhead) with zeros and @ad<="20010920"	US-PGPUB; USPAT	OR	ON	2005/05/12 15:59
S32	0	"370"/471,473,474,352,353,354, 355,356,389,386,469,428,465, 466,392,409,395.3,390,399,395. 52,395.5,537,253,312,349.ccls. and packet with (header or overhead) with zeros and oversize and @ad<="20010920"	US-PGPUB; USPAT	OR .	ON	2005/05/12 15:59
S33	34	oversized with packet and @ad<="20010920"	US-PGPUB; USPAT	OR	ON	2005/05/12 15:59
S34	1	oversized with packet with zero and @ad<="20010920"	US-PGPUB; USPAT	OR	ON	2005/05/12 16:00
S35	34	oversized with packet and @ad<="20010920"	US-PGPUB; USPAT	OR	ON	2005/05/12 16:00
S36	2	"370"/471,473,474,352,353,354, 355,356,389,386,469,428,465, 466,392,409,395.3,390,399,395. 52,395.5,537,253,312,349.ccls. and oversized with packet with sequence and @ad<="20010920"	US-PGPUB; USPAT	OR	ON	2005/05/13 12:39

0	oversized with packet with sequence with zero and @ad<="20010920"	US-PGPUB; USPAT	OR	ON	2005/05/13 12:39
.12	oversized with packet with sequence and @ad<="20010920"	US-PGPUB; USPAT	OR	ON	2005/05/13 12:41
1	oversized with packet with zero and @ad<="20010920"	US-PGPUB; USPAT	OR	ON	2005/05/13 12:41
34	oversized with packet and @ad<="20010920"	US-PGPUB; USPAT	OR	ON	2005/05/13 12:51
2	header with oversized with packet and @ad<="20010920"	US-PGPUB; USPAT	OR	ON	2005/05/13 13:06
6	oversized adj header and @ad<="20010920"	US-PGPUB; USPAT	OR	ON	2005/05/13 13:07
. 0	oversized adj packet adj header and @ad<="20010920"	US-PGPUB; USPAT	OR	ON	2005/05/13 13:07
114	zero with packet adj header and @ad<="20010920"	US-PGPUB; USPAT	OR	ON	2005/05/13 13:07
0	all with zero with packet adj header and @ad<="20010920"	US-PGPUB; USPAT	OR	ON	2005/05/13 13:07
0	all with zero with header and @ad<="20010920"	US-PGPUB; USPAT	OR	ON	2005/05/13 13:07
662	packet with header and sequence with zero and @ad<="20010920"	US-PGPUB; USPAT	OR	ON	2005/05/13 13:08
0	packet with header and sequence with all with zero and @ad<="20010920"	US-PGPUB; USPAT	OR	ON	2005/05/13 13:08
87	packet with header same sequence with zeros and @ad<="20010920"	US-PGPUB; USPAT	OR	ON	2005/05/13 13:09
. 0	packet with header same sequence with zeros same oversize and @ad<="20010920"	US-PGPUB; USPAT	OR	ON	2005/05/13 13:08
8	over-sized with packet and @ad<="20010920"	US-PGPUB; USPAT	OR	ON	2005/05/13 13:14
0	over-sized with packet with header and @ad<="20010920"	US-PGPUB; USPAT	OR	ON	2005/05/13 13:09
131	packet with sequence with number with zero and @ad<="20010920"	US-PGPUB; USPAT	OR	ON	2005/05/13 13:15
9	packet with sequence with number with zero with fragment and @ad<="20010920"	US-PGPUB; USPAT	OR	ON	2005/05/13 13:23
0	over adj sized adj packet with header and @ad<="20010920"	US-PGPUB; USPAT	OR	ON	2005/05/13 13:23
1	over adj sized adj packet same header and @ad<="20010920"	US-PGPUB; USPAT	OR	ON	2005/05/13 14:30
	12 1 34 2 6 0 114 0 0 662 0 87 0 88 0 131 9	sequence with zero and @ad<="20010920"  12 oversized with packet with sequence and @ad<="20010920"  13 oversized with packet and @ad<="20010920"  2 header with oversized with packet and @ad<="20010920"  6 oversized adj header and @ad<="20010920"  0 oversized adj packet adj header and @ad<="20010920"  114 zero with packet adj header and @ad<="20010920"  0 all with zero with packet adj header and @ad<="20010920"  1 all with zero with packet adj header and @ad<="20010920"  0 all with zero with header and @ad<="20010920"  1 all with zero and @ad<="20010920"  2 packet with header and sequence with zero and @ad<="20010920"  5 packet with header and sequence with all with zero and @ad<="20010920"  2 packet with header same sequence with zeros and @ad<="20010920"  3 packet with header same sequence with zeros same oversize and @ad<="20010920"  3 over-sized with packet and @ad<="20010920"  4 over-sized with packet with header and @ad<="20010920"  5 over-sized with packet with header and @ad<="20010920"  5 over-sized with packet with header and @ad<="20010920"  2 over-sized with sequence with number with zero and @ad<="20010920"  3 packet with sequence with number with zero and @ad<="20010920"  5 packet with sequence with number with zero with fragment and @ad<="20010920"  5 over adj sized adj packet with header and @ad<="20010920"  5 over adj sized adj packet with header and @ad<="20010920"	sequence with zero and @ad<="20010920"  12 oversized with packet with sequence and @ad<="20010920"  1 oversized with packet with zero and @ad<="20010920"  34 oversized with packet and @ad<="20010920"  1 header with oversized with packet and @ad<="20010920"  2 header with oversized with packet and @ad<="20010920"  3 oversized adj header and @ad<="20010920"  4 oversized adj packet adj header and @ad<="20010920"  5 oversized adj packet adj header and @ad<="20010920"  1	sequence with zero and @ad<="20010920"  12 oversized with packet with sequence and @ad<="20010920"  1 oversized with packet with zero and @ad<="20010920"  34 oversized with packet and @ad<="20010920"  1	Sequence with zero and

0	demultiplex\$3 with IP with packet with fremae with header and @ad<="20010920"	US-PGPUB; USPAT	OR	ON	2005/05/13 14:31
3	demultiplex\$3 with IP with packet with frame with header and @ad<="20010920"	US-PGPUB; USPAT	OR	ON	2005/05/13 14:35
83	demultiplex\$3 with IP with packet and @ad<="20010920"	US-PGPUB; USPAT	OR	ON	2005/05/13 14:35
12	demultiplex\$3 with IP with packet with frame and @ad<="20010920"	US-PGPUB; USPAT	OR	ON	2005/05/13 14:49
16	demultiplex\$3 with IP with header and @ad<="20010920"	US-PGPUB; USPAT	OR	ON	2005/05/13 14:41
3	demultiplex\$3 with frame with IP with header and @ad<="20010920"	US-PGPUB; USPAT	OR	ON	2005/05/13 14:47
1	demultiplex\$3 adj packet with frame with (overhead or header) and @ad<="20010920"	US-PGPUB; USPAT	OR	ON	2005/05/13 14:48
5	demultiplex\$3 adj packet with frame and @ad<="20010920"	US-PGPUB; USPAT	OR	ON	2005/05/13 14:48
120	demultiplex\$3 with packet with frame and @ad<="20010920"	US-PGPUB; USPAT	OR	ON	2005/05/13 15:03
352	demultiplex\$3 with packet with header and @ad<="20010920"	US-PGPUB; USPAT	OR	ON	2005/05/13 15:03
. 22	demultiplex\$3 near2 packet near2 header and @ad<="20010920"	US-PGPUB; USPAT	OR .	ON	2005/05/13 15:08
120	demultiplex\$3 with packet with frame and @ad<="20010920"	US-PGPUB; USPAT	OR	ON	2005/05/13 15:15
83	demultiplex\$3 with packet with IP and @ad<="20010920"	US-PGPUB; USPAT	OR	ON	2005/05/13 15:15
0	demultiplex\$3 with packet with IP adj header and @ad<="20010920"	US-PGPUB; USPAT	OR	ON	2005/05/13 15:16
352	demultiplex\$3 with packet with header and @ad<="20010920"	US-PGPUB; USPAT	OR	ON	2005/05/13 15:24
0	MPLS with lable with no with more with multiplexed and @ad<="20010920"	US-PGPUB; USPAT	OR	ON	2005/05/13 15:24
0	MPLS with label with no with more with multiplexed and @ad<="20010920"	US-PGPUB; USPAT	OR	ON	2005/05/13 15:24
66	MPLS with add\$3 with label and @ad<="20010920"	US-PGPUB; USPAT	OR	ON	2005/05/13 15:44
7	MPLS with PPP with HDLC and @ad<="20010920"	US-PGPUB; USPAT	OR	ON	2005/05/13 15:54
	3 83 12 16 3 3 1 5 120 352 22 120 83 0 352 0	with fremae with header and @ad<="20010920"  demultiplex\$3 with IP with packet with frame with header and @ad<="20010920"  demultiplex\$3 with IP with packet and @ad<="20010920"  demultiplex\$3 with IP with packet with frame and @ad<="20010920"  demultiplex\$3 with IP with header and @ad<="20010920"  demultiplex\$3 with frame with IP with header and @ad<="20010920"  demultiplex\$3 adj packet with frame with (overhead or header) and @ad<="20010920"  demultiplex\$3 adj packet with frame and @ad<="20010920"  demultiplex\$3 with packet with frame and @ad<="20010920"  demultiplex\$3 with packet with header and @ad<="20010920"  demultiplex\$3 with packet with frame and @ad<="20010920"  demultiplex\$3 with packet with frame and @ad<="20010920"  demultiplex\$3 with packet with IP and @ad<="20010920"  demultiplex\$3 with packet with IP and @ad<="20010920"  demultiplex\$3 with packet with IP adj header and @ad<="20010920"  demultiplex\$3 with packet with IP adj header and @ad<="20010920"  demultiplex\$3 with packet with IP adj header and @ad<="20010920"  demultiplex\$3 with packet with IP adj header and @ad<="20010920"  demultiplex\$3 with packet with IP adj header and @ad<="20010920"  demultiplex\$3 with packet with IP adj header and @ad<="20010920"  demultiplex\$3 with packet with IP adj header and @ad<="20010920"  demultiplex\$3 with packet with IP adj header and @ad<="20010920"  demultiplex\$3 with packet with IP adj header and @ad<="20010920"  demultiplex\$3 with packet with IP adj header and @ad<="20010920"  demultiplex\$3 with packet with IP adj header and @ad<="20010920"  demultiplex\$3 with packet with IP adj header and @ad<="20010920"  demultiplex\$3 with packet with IP adj header and @ad<="20010920"	with fremae with header and @ad<="20010920"  demultiplex\$3 with IP with packet with frame with header and @ad<="20010920"  demultiplex\$3 with IP with packet and @ad<="20010920"  demultiplex\$3 with IP with packet with frame and @ad<="20010920"  demultiplex\$3 with IP with header and @ad<="20010920"  demultiplex\$3 with IP with header and @ad<="20010920"  demultiplex\$3 with frame with IP with header and @ad<="20010920"  demultiplex\$3 adj packet with frame with (overhead or header) and @ad<="20010920"  demultiplex\$3 adj packet with frame and @ad<="20010920"  demultiplex\$3 adj packet with frame and @ad<="20010920"  demultiplex\$3 with packet with frame and @ad<="20010920"  demultiplex\$3 with packet with header and @ad<="20010920"  demultiplex\$3 with packet with header and @ad<="20010920"  demultiplex\$3 with packet with packet with header and @ad<="20010920"  demultiplex\$3 with packet with IP adj header and @ad<="20010920"  demultiplex\$3 with packet with IP adj header and @ad<="20010920"  demultiplex\$3 with packet with IP adj header and @ad<="20010920"  demultiplex\$3 with packet with IP adj header and @ad<="20010920"  demultiplex\$3 with packet with IP adj header and @ad<="20010920"  demultiplex\$3 with packet with IP adj header and @ad<="20010920"  demultiplex\$3 with packet with IP adj header and @ad<="20010920"  US-PGPUB; US-PGPUB; US-PAT  demultiplex\$3 with packet with IP adj header and @ad<="20010920"  demultiplex\$3 with packet with IP adj header and @ad<="20010920"  US-PGPUB; US-PGPUB; US-PAT  US-PGPUB; US-PGPUB; US-PAT	with fremae with header and @ad<="20010920"  demultiplex\$3 with IP with packet with frame with header and @ad<="20010920"  demultiplex\$3 with IP with packet with frame and @ad<="20010920"  demultiplex\$3 with IP with packet with frame and @ad<="20010920"  demultiplex\$3 with IP with header and @ad<="20010920"  demultiplex\$3 with IP with header and @ad<="20010920"  demultiplex\$3 with frame with IP with header and @ad<="20010920"  demultiplex\$3 adj packet with frame with (overhead or header) and @ad<="20010920"  demultiplex\$3 with packet with frame and @ad<="20010920"  demultiplex\$3 with packet with IP and wad<="20010920"  demultiplex\$3 with packet	with fremae with header and @ad <="20010920"  3 demultiplex\$3 with IP with packet with frame with header and @ad <="20010920" USPAT  12 demultiplex\$3 with IP with packet with frame and @ad <="20010920" USPAT  12 demultiplex\$3 with IP with packet with frame and @ad <="20010920" USPAT  13 demultiplex\$3 with IP with packet with frame and @ad <="20010920" USPAT  14 demultiplex\$3 with IP with header and @ad <="20010920" USPAT  15 demultiplex\$3 with frame with IP with header and @ad <="20010920" USPAT  16 demultiplex\$3 adj packet with frame with (overhead or header) and @ad <="20010920" USPAT  17 demultiplex\$3 adj packet with frame and @ad <="20010920" USPAT  18 demultiplex\$3 with packet with frame and @ad <="20010920" USPAT  19 demultiplex\$3 with packet with frame and @ad <="20010920" USPAT  10 demultiplex\$3 with packet with header and @ad <="20010920" USPAT  10 demultiplex\$3 with packet with frame and @ad <="20010920" USPAT  10 demultiplex\$3 with packet with frame and @ad <="20010920" USPAT  10 demultiplex\$3 with packet with frame and @ad <="20010920" USPAT  11 demultiplex\$3 with packet with frame and @ad <="20010920" USPAT  120 demultiplex\$3 with packet with frame and @ad <="20010920" USPAT  120 demultiplex\$3 with packet with frame and @ad <="20010920" USPAT  120 demultiplex\$3 with packet with IP and @ad <="20010920" USPAT  120 demultiplex\$3 with packet with IP uS-PGPUB; OR ON USPAT  120 demultiplex\$3 with packet with IP adj header and @ad <="20010920" USPAT  13 demultiplex\$3 with packet with IP uS-PGPUB; OR ON USPAT  14 demultiplex\$3 with packet with IP uS-PGPUB; OR ON USPAT  15 demultiplex\$3 with packet with IP uS-PGPUB; OR ON USPAT  16 demultiplex\$3 with packet with IP uS-PGPUB; OR ON USPAT  17 MPLS with lable with no with more with multiplexed and @ad <="20010920" USPAT  18 demultiplex\$3 with packet with more with multiplexed and @ad <="20010920" USPAT  19 demultiplex\$3 with packet with IP uS-PGPUB; OR ON USPAT  10 MPLS with lable with no with more with multiplexed and @ad <="20010920" USPAT  10 MPLS with abol

S76	11	MPLS same PPP same HDLC and @ad<="20010920"	US-PGPUB; USPAT	OR	ON	2005/05/13 16:03
S77	5	MPLS and layer with HDLC and @ad<="20010920"	US-PGPUB; USPAT	OR	ON	2005/05/13 16:04
S78	22	MPLS and PPP with HDLC and @ad<="20010920"	US-PGPUB; USPAT	OR	ON .	2005/05/13 16:22
S79	15	MPLS and PPP with HDLC and frame with relay and @ad<="20010920"	US-PGPUB; USPAT	OR	ON	2005/05/13 17:05
S80	1	IP with overhead with demultiplex\$3 and @ad<="20010920"	US-PGPUB; USPAT	OR	ON	2005/05/13 17:06
S81	16	IP with header with demultiplex\$3 and @ad<="20010920"	US-PGPUB; USPAT	OR	ON	2005/05/13 17:06